



**Bid Notice Abstract**

**Request for Quotation (RFQ)**

**Reference Number** 8771995  
**Procuring Entity** NORTHWEST SAMAR STATE UNIVERSITY  
**Title** Purchase of Audio System (FID/2022-06-231)  
**Area of Delivery** Samar

<b>Solicitation Number:</b>	2022-06-231	<b>Status</b>	<b>Active</b>
<b>Trade Agreement:</b>	Implementing Rules and Regulations	<b>Associated Components</b>	1
<b>Procurement Mode:</b>	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	<b>Bid Supplements</b>	0
<b>Classification:</b>	Goods	<b>Document Request List</b>	0
<b>Category:</b>	Audio and Visual Equipment	<b>Date Published</b>	21/06/2022
<b>Approved Budget for the Contract:</b>	PHP 562,584.00	<b>Last Updated / Time</b>	21/06/2022 00:00 AM
<b>Delivery Period:</b>	30 Day/s	<b>Closing Date / Time</b>	28/06/2022 09:00 AM
<b>Client Agency:</b>			
<b>Contact Person:</b>	Jhenrose Savellino Billate Procurement Staff Rueda Extension Calbayog City Samar Philippines 6710 63-55-2093122 63-55-2093122 procurement@nwssu.edu.ph		

**Description**

PROCUREMENT OFFICE  
Email: procurement@nwssu.edu.ph  
Contact Number: 09173178126

REQUEST FOR PRICE QUOTATION  
RFQ No. 2022-06-231  
June 21, 2022

**SIR/MADAM:**

Please quote your lowest price for the following items enumerated below, taking into consideration the following:  
**TERMS AND CONDITIONS**

- The Approved Budget for the Contract (ABC) is P 562,584.00 under PR No. 2022-06-231
- Submit your quotation in a sealed envelope on or before June 28, 2022 @ 9:00 AM.
- Opening of RFQs is on June 28, 2022 @ 10:00 AM in our office.
- This procurement is PER ITEM, however, if stated in LOT, quotation shall be evaluated by lot. Any price offer that exceeds the ABC shall be disqualified.
- Price Quotation should be inclusive of the 5% Final VAT and Expanded Withholding Tax (EWT) of 1%.
- Price Quotation shall be valid within thirty (30) calendar days from the deadline of the RFQ.
- Delivery Period is within 30 calendar days and shall commence as stated in the Purchase Order. Free on site delivery.
- If awarded the contract, processing and payment shall be made after the complete delivery of services/Supplies and final acceptance.
- Refusal to accept an award maybe ground for imposition of administrative sanctions under Rule XXII of the revised IRR of RA 9184. Please observe the Revised IRR of RA 9184.
- FOB-NORTHWEST SAMAR STATE UNIVERSITY-Main located at Rueda St, Calbayog City, Samar.
- The procuring entity may terminate the contract, in whole or in part, at anytime for unsatisfactory service.
- Request for quotation should be returned within 7 days from receipt hereof.

Item No. Qty. Unit Articles/Description Supplier's Offer (Complete Specifications and Brand Name) Unit Price

- LOT Sound System
- Full Range Loudspeaker 2000W peak 2-way powered full range speaker with class D amplifier; 12" LF driver and 1.4" HF horn driver; frequency response, 50Hz - 20KHz; maximum SPL 132-135 dB @ 1m; built-in DSP, mixing channels and LCD display for speaker processing and control; two 1/4" TRS/XLR combo mic/line, one stereo 1/8" or RCA auxiliary input, direct XLR output for each mic/line input and one mix XLR output; 240VAC or autovolt 100V-240VAC
- Monitor Speaker 1400W peak 2-way powered full range speaker with class D amplifier; 12" LF driver and 1.75" HF driver; maximum SPL 129 dB @ 1m; built-in DSP, mixing channels for speaker processing and control; two 1/4" TRS/XLR combo mic/line, one stereo 1/8" or RCA auxiliary input, one thru XLR output; 240VAC or autovolt 100V-240VAC
- one (1) Audio Mixer 12 channel mixer with 12 line inputs and 4 microphone preamp inputs, 60 dB gain range, 128.5 dB dynamic range, +22 dBu line input, phantom power for condenser microphones, 3-Band EQ (80 Hz, 2.5 kHz, 12 kHz) 18dB/octave, 75 Hz low-cut filter on microphone input channels, 2 AUX send, level, pan, and PFL solo on each channel, 2 stereo return, ALT 3/4 stereo, control room/ phones source, rugged steel chassis with powder-coat finish, rack-mountable design using a rack ear kit
- one (1) Graphic Equalizer dual 31-band stereo with FBQ feedback detection system; dedicated mono subwoofer output with adjustable crossover frequency, additional low-cut filter removes unwanted frequencies; 4-segment LED output metering and input gain control for easy level setting, ultra-low noise audio operational amplifiers; servo-balanced inputs and outputs with 1/4" TRS and gold-plated XLR connectors; shielded toroidal power transformer; rack mountable.
- Signal Cable with Connectors Neutrik XLR male to XLR female termination, at least 3 ft.
- Speaker Cable with Connectors Neutrik XLR male to XLR female termination, at least 10 ft.
- Speaker Cable with Connectors Neutrik XLR male to XLR female termination, at least 50 ft.
- Instrument Cable with Connectors 6.3 mm mono to 6.3 mm mono plug, at least 5 m.
- Audio Connector 1 x 3.5 mm stereo plug to 2 x 6.3 mm mono plug, at least 1 m.
- Audio Connector 1 x 3.5 mm stereo plug to 2 x RCA plug, at least 1 m.
- Microphone supercardioid, dynamic, neodymium magnet, handheld, vocal microphone; frequency response, 50Hz - 16kHz sensitivity: -51.0 dBv (2.8mV)@1PA; impedance 500 Ohm; Max SPL >150dB; 3 pole XLR plug, heavy duty built; with hard protective case
- Microphone Cable 3-pole XLR female to 3 pole XLR male, 5 meters
- Audio Adaptor 3-pole XLR male to 6.3 mm mono plug, Zinc diecast shell, Brass contact, Polyamide insert
- Boom Microphone Stand heavy duty aluminum or steel base; quick raise or lower by pressure of non-slip clutch; adjustable stand height and boom length
- Crank-up Speaker Stand heavy duty steel and/or aluminum material body and support with non-slip base; heavy duty crank-up mechanism, can fit speakers with 1 3/8" or 1 1/2" mounting sockets, adjustable height from 47" to 80", weight capacity up to 80 lbs.
- one (1) Power Distribution Unit/Strip at least 5000W, with at least 8 socket, aluminum alloy shell hard plastic socket, with surge/overload protection, rack mountable
- Utility Cart weight capacity of 485 lbs., with 4 heavy duty, threaded, polypropylene-filled polyurethane casters wheels that rotates 360° for ease of steering and provides traction, adjustable bed size to take on large loads or fit through tight spaces
- Transport Case hard case for storage of audio equipment and other accessories, with sturdy handle and locking mechanism, 10U with wheels
- Audio Rack Case U12 with mixer on top with rack and caster wheel, heavy duty case with locking mechanism
- Extension Cables for Powered Speaker AWG # 12 royal cable with one universal plug outlet, 15 meters

Date  
(Sgd.) RAMIL S. CATAMORA, Ed.D.

BAC Chairperson

I have read and understood the Terms and Conditions stated above.

By signing this quote, I hereby agree and bind myself to the Terms and Conditions.

Signature Over Printed Name:

Position in Firm:  
Business Address:  
Contact No.:

Carvised by:  
(Signature Over Printed Name)

**Other Information**

Please submit the following documentary requirements:

- Business/Mayor's Permit
- PhilGEPS Registration No./Certificate
- Omnibus Sworn Statement
- Income Tax Return

**Created by** Jhenrose Savellino Billate

**Date Created** 20/06/2022



**PROCUREMENT OFFICE**

Email: [procurement@nwssu.edu.ph](mailto:procurement@nwssu.edu.ph)  
 Contact Number: **09173178126**

**REQUEST FOR PRICE QUOTATION**

RFQ No. **2022-06-231**  
 June 21, 2022

**SIR/MADAM:**

Please quote your lowest price for the following items enumerated below, taking into consideration the following:

**TERMS AND CONDITIONS**

- The Approved Budget for the Contract (ABC) is P 562,584.00 under PR No. 2022-06-231
- Submit your quotation in a sealed envelop on or before June 28, 2022 @ 9:00 AM.
- Opening of RFQs is on June 28, 2022 @ 10:00 AM in our office.
- This procurement is PER ITEM, however, if stated in LOT, quotation shall be evaluated by lot. Any price offer that exceeds the ABC shall be disqualified.
- Price Quotation should be inclusive of the 5% Final VAT and Expanded Withholding Tax (EWT) of 1%.
- Price Quotation shall be valid within thirty (30) calendar days from the deadline of the RFQ.
- Delivery Period is within 30 calendar days and shall commence as stated in the Purchase Order. Free on site delivery.
- If awarded the contract, processing and payment shall be made after the complete delivery of services/Supplies and final acceptance.
- Refusal to accept an award may be ground for imposition of administrative sanctions under Rule XXII of the revised IRR of RA 9184. Please observe the Revised IRR of RA 9184.
- FOB-NORTHWEST SAMAR STATE UNIVERSITY-Main located at Rueda St, Calbayog City, Samar.
- The procuring entity may terminate the contract, in whole or in part, at anytime for unsatisfactory service.
- Request for quotation should be returned within 7 days from receipt hereof.

Item No.	Qty.	Unit	Articles/Description	Supplier's Offer (Complete Specifications and Brand Name)	Unit Price
1		LOT	<b>Sound System</b>		
	4		<b>Full Range Loudspeaker</b> 2000W peak 2-way powered full range speaker with class D amplifier; 12" LF driver and 1.4" HF horn driver; frequency response, 50Hz - 20KHz; maximum SPL 132-135 dB @ 1m; built-in DSP, mixing channels and LCD display for speaker processing and control; two 1/4" TRS/XLR combo mic/line, one stereo 1/8" or RCA auxiliary input, direct XLR output for each mic/line input and one mix XLR output; 240VAC or autovolt 100V-240VAC		
	2		<b>Monitor Speaker</b> 1400W peak 2-way powered full range speaker with class D amplifier; 12" LF driver and 1.75" HF driver; maximum SPL 129 dB @ 1m; built-in DSP, mixing channels for speaker processing and control; two 1/4" TRS/XLR combo mic/line, one stereo 1/8" or RCA auxiliary input, one thru XLR output; 240VAC or autovolt 100V-240VAC		
	1		<b>one (1) Audio Mixer</b> 12 channel mixer with 12 line inputs and 4 microphone preamp inputs, 60 dB gain range, 128.5 dB dynamic range, +22 dBu line input, phantom power for condenser microphones, 3-Band EQ (80 Hz, 2.5 kHz, 12 kHz) 18dB/octave, 75 Hz low-cut filter on microphone input channels, 2 AUX send, level, pan, and PFL solo on each channel, 2 stereo return, ALT 3/4 stereo, control room/ phones source, rugged steel chassis with powder-coat finish, rack-mountable design using a rack ear kit		
	1		<b>one (1) Graphic Equalizer</b> dual 31-band stereo with FBQ feedback detection system; dedicated mono subwoofer output with adjustable crossover frequency, additional low-cut filter removes unwanted frequencies; 4-segment LED output metering and input gain control for easy level setting, ultra-low noise audio operational amplifiers; servo-balanced inputs and outputs with 1/4" TRS and gold-plated XLR connectors; shielded toroidal power transformer; rack mountable.		
	6		<b>Signal Cable with Connectors</b> Neutrik XLR male to XLR female termination, at least 3 ft.		
	6		<b>Speaker Cable with Connectors</b> Neutrik XLR male to XLR female termination, at least 10 ft.		
	4		<b>Speaker Cable with Connectors</b> Neutrik XLR male to XLR female termination, at least 50 ft.		
	2		<b>Instrument Cable with Connectors</b> 6.3 mm mono to 6.3 mm mono plug, at least 5 m.		
	2		<b>Audio Connector</b> 1 x 3.5 mm stereo plug to 2 x 6.3 mm mono plug, at least 1 m.		
	2		<b>Audio Connector</b> 1 x 3.5 mm stereo plug to 2 x RCA plug, at least 1 m.		

-page 1 of 2-

Date

**RAMILS, CATAMORA, Ed.D.**  
 BAC Chairperson

I have read and understood the Terms and Conditions stated above.  
 By signing this quote, I hereby agree and bind myself to the Terms and Conditions.

Signature Over Printed Name: \_\_\_\_\_  
 Position in Firm: \_\_\_\_\_  
 Business Address: \_\_\_\_\_  
 Contact No.: \_\_\_\_\_

Carried by:

(Signature Over Printed Name)



**PROCUREMENT OFFICE**

Email: [procurement@nwssu.edu.ph](mailto:procurement@nwssu.edu.ph)  
 Contact Number: **09173178126**

**REQUEST FOR PRICE QUOTATION**

RFQ No. **2022-06-231**

June 21, 2022

**SIR/MADAM:**

Please quote your lowest price for the following items enumerated below, taking into consideration the following:

**TERMS AND CONDITIONS**

- The Approved Budget for the Contract (ABC) is P 562,584.00 under PR No. 2022-06-231
- Submit your quotation in a sealed envelop on or before June 28, 2022 @ 9:00 AM.
- Opening of RFQs is on June 28, 2022 @ 10:00 AM in our office.
- This procurement is PER ITEM, however, if stated in LOT, quotation shall be evaluated by lot. Any price offer that exceeds the ABC shall be disqualified.
- Price Quotation should be inclusive of the 5% Final VAT and Expanded Withholding Tax (EWT) of 1%.
- Price Quotation shall be valid within thirty (30) calendar days from the deadline of the RFQ.
- Delivery Period is within 30 calendar days and shall commence as stated in the Purchase Order. Free on site delivery.
- If awarded the contract, processing and payment shall be made after the complete delivery of services/Supplies and final acceptance.
- Refusal to accept an award may be ground for imposition of administrative sanctions under Rule XXII of the revised IRR of RA 9184. Please observe the Revised IRR of RA 9184.
- FOB-NORTHWEST SAMAR STATE UNIVERSITY-Main located at Rueda St, Calbayog City, Samar.
- The procuring entity may terminate the contract, in whole or in part, at anytime for unsatisfactory service.
- Request for quotation should be returned within 7 days from receipt hereof.

Item No.	Qty.	Unit	Articles/Description	Supplier's Offer (Complete Specifications and Brand Name)	Unit Price
	2		<b>Microphone</b> supercardioid, dynamic, neodymium magnet, handheld, vocal microphone; frequency response, 50Hz - 16kHz sensitivity: -51.0 dBv (2.8mV)@1PA; impedance 500 Ohm; Max SPL >150dB; 3 pole XLR plug, heavy duty built; with hard protective case		
	2		<b>Microphone Cable</b> 3-pole XLR female to 3 pole XLR male, 5 meters		
	4		<b>Audio Adaptor</b> 3-pole XLR male to 6.3 mm mono plug, Zinc diecast shell, Brass contact, Polyamide insert		
	2		<b>Boom Microphone Stand</b> heavy duty aluminum or steel base; quick raise or lower by pressure of non-slip clutch; adjustable stand height and boom length		
	4		<b>Crank-Up Speaker Stand</b> heavy duty steel and/or aluminum material body and support with non-slip base; heavy duty crank-up mechanism, can fit speakers with 1 3/8" or 1 1/2" mounting sockets, adjustable height from 47" to 80", weight capacity up to 80 lbs.		
	1		<b>one (1) Power Distribution Unit/Strip</b> at least 5000W, with at least 8 socket, aluminum alloy shell hard plastic socket, with surge/overload protection, rack mountable		
	2		<b>Utility Cart</b> weight capacity of 485 lbs., with 4 heavy duty, threaded, polypropylene-filled polyurethane casters wheels that rotates 360° for ease of steering and provides traction, adjustable bed size to take on large loads or fit through tight spaces		
	1		<b>Transport Case</b> hard case for storage of audio equipment and other accessories, with sturdy handle and locking mechanism, 10U with wheels		
	1		<b>Audio Rack Case</b> U12 with mixer on top with rack and caster wheel, heavy duty case with locking mechanism		
	4		<b>Extension Cables for Powered Speaker</b> AWG # 12 royal cable with one universal plug outlet, 15 meters		
Please submit the following documentary requirements:					
			1. Business/Mayor's Permit		
			2. PhilGEPS Registration No./Certificate		
			3. Omnibus Sworn Statement		
			4. Income Tax Return		

page 7 of 2-

**RAMIL S. CATAMORA, B.D.**  
 BAC Chairperson

Date \_\_\_\_\_

I have read and understood the Terms and Conditions stated above.  
 By signing this quote, I hereby agree and bind myself to the Terms and Conditions.

Signature Over Printed Name: \_\_\_\_\_  
 Position in Firm: \_\_\_\_\_  
 Business Address: \_\_\_\_\_  
 Contact No.: \_\_\_\_\_

Canvassed by: \_\_\_\_\_

(Signature Over Printed Name)