



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number: 9519130
Procuring Entity: NORTHWEST SAMAR STATE UNIVERSITY
Title: Supply and Delivery of Laboratory Equipment (2023-02-052)
Area of Delivery: Samar

Solicitation Number:	2023-02-052	Status	Active
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Agricultural Machinery and Equipment	Date Published	28/02/2023
Approved Budget for the Contract:	PHP 749,000.00	Last Updated / Time	28/02/2023 00:00 AM
Delivery Period:	30 Day/s	Closing Date / Time	06/03/2023 09:00 AM
Client Agency:			
Contact Person:	Jhenrose Savellino Billate Procurement Staff Rueda Extension Calbayog City Samar Philippines 6710 63-55-2093122 63-55-2093122 procurement@nwssu.edu.ph		

Description

PROCUREMENT OFFICE
 Email: procurement@nwssu.edu.ph
 Contact Number: 09173178126

REQUEST FOR PRICE QUOTATION
 RFQ No. 2023-02-052
 February 28, 2023

SIR/MADAM:

Please quote your lowest price for the following items enumerated below, taking into consideration the following:

TERMS AND CONDITIONS

- The Approved Budget for the Contract (ABC) is P 749,000.00 under PR No. 2023-02-052
- Submit your quotation in a sealed envelop on or before March 6, 2023 @ 9:00 AM.
- Opening of RFQs is on March 6, 2023 @ 10:00 AM in our office.
- This procurement is PER ITEM, however, if stated in I.O.T, quotation shall be evaluated by lot. Any price offer that exceeds the ABC shall be disqualified.
- Price Quotation should be inclusive of the 5% Final VAT and Expanded Withholding Tax (EWT) of 1%.
- Price Quotation shall be valid within thirty (30) calendar days from the deadline of the RFQ.
- Delivery Period is within 30 calendar days and shall commence as stated in the Purchase Order. Free on site delivery.
- If awarded the contract, processing and payment shall be made after the complete delivery of services/Supplies and final acceptance.
- Refusal to accept an award maybe ground for imposition of administrative sanctions under Rule XXII of the revised IRR of RA 9184.

Please observe the Revised IRR of RA 9184.

- FCB NORTHWEST SAMAR STATE UNIVERSITY - San Jorge Campus located at San Jorge, Samar.
- The procuring entity may terminate the contract, in whole or in part, at anytime for unsatisfactory service.
- Request for quotation should be returned within 6 days from receipt hereof.

Item No. Qty. Unit Articles/Description Supplier's Offer (Complete Specifications and Brand Name) Unit Price

- 1 pc. Ball Mill (Grinder) (Please see attached picture)
 Specifications:
 Laboratory Sample Mill with separated grind container for dry materials
 Fineness achievable Approx.: 100um
 Speed range: up to 30,000 rpm
 Cup inner size: φ 108 x 51H (mm)
 Lid & Container: SUS304
 Blade: SUS420
 The metal parts around the blade: SUS304
 Max. capacity: 150ml
 Body size: φ 170 x 330H (mm, 5.1 kg)
 Motor: 1200W
 The hardness of the blades is HRC55 Degrees and Its materials is SUS420
- 1 pc. Centrifuge Machine (Please see attached picture)
 Specifications:
 Max speed: 4000rpm
 Max RCF: 3580xg
 Max Capacity: 800ml
 Speed Precision: ±10 minus 20rpm
 Time range: 1s-99h59min
 Power supply: AC220V 50/60Hz
 Noise: less than or equal to 65dB (A)
- 1 pc. Heavy Duty Waring Blender (Please see attached picture)
 Specifications:
 Capacity: 64oz
 Hertz: 60
 Controls - Digital
 Voltage: 120
- 1 pc. Horizontal Laminar Flow Hood/Cabinet (Please see attached Picture)
 Specifications:
 External size (W*D*H*): 1300*820*2040mm, Internal size (W*D*H): 1200*500*570MM
 Work Surface Height: 750mm
 Display: LCD Display
 Airflow Velocity: Average of 0.3-0.5m/s
 Main Body Material: Cold-rolled steel with anti-bacterial powder coating
 Work Table Material: 304 stainless steel
 Side and front window: 5mm toughened glass, anti-UV
 Pre-filter: Polyester fiber, washable
 HEPA Filter: 99.995% efficiency
 Noise: Less than 65dB
 LED Lamp: 12W*1

UV Lamp: 30w*1
Consumption: 400W
5. 1 pc. Dissecting Microscope with monitor (Please see attached picture)
Specifications:
Power Supply type: AC 110V-240V
Transmit Light: 1W S-LED Critical Illumination
Light Source Type: LED
Objectives: (4x/0.10, W.D.20.6mm; 10x/0.25, W.D. 17.9mm; 40x/0.60, W.D.1.50mm; 100x/1.25 (oil), W.D. 0.16mm)
Head type: Seidentop Trinocular
Standard Magnification: 40x1000x
Eyepiece: EW 10x/22mm, 2 pcs
Eyepiece Diameter: 30.0mm
Eyepiece feature: Diopter adjustable
Focusing scale: 0.002mm
Focusing range: 28mm
Focusing type: Coaxial coarse & Fine
Focusing feature: Tension adjustable; Safety Stop Lock Ring
Working stage moving: Moving range 78x54mm, Working stage size: 230x150mm
Working stage type: 2 Layers mechanical
6. 1 pc. Electric Cement Mixer, Single Bagger (Please see attached picture)
Specifications:
Model No.: Tilting
Weight: 950kg
Capacity (unmixed): 300 liters
Capacity (mixed): 200 liters
Drum speed (Rev./mm): 20-22
Power electric motor: 5H.P.
Production Rate: 6.8m/hr

Date
(Sgd.) RAMIL S. CATAMORA, Ed.D.
BAC Chairperson
I have read and understood the Terms and Conditions stated above.
By signing this quote, I hereby agree and bind myself to the Terms and Conditions.

Signature Over Printed Name:
Position in Firm:
Business Address:
Contact No.:

Canvassed by:
(Signature Over Printed Name)
Other Information
Please submit the following documentary requirements:
1. Business/Mayor's Permit
2. PhilGEPS Registration No./Certificate
3. Omnibus Sworn Statement
4. Business Income Tax Return

Created by Jhenrose Savellino Billate

Date Created 27/02/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



PROCUREMENT OFFICE

Email: procurement@nwssu.edu.ph
 Contact Number: **09173178126**

REQUEST FOR PRICE QUOTATION

RFQ No. 2023-02-052
 February 28, 2023

SIR/MADAM:

Please quote your lowest price for the following items enumerated below, taking into consideration the following:

TERMS AND CONDITIONS

- The Approved Budget for the Contract (ABC) is **P 749,000.00** under PR No. **2023-02-052**
- Submit your quotation in a sealed envelop on or before **March 6, 2023** @ 9:00 AM.
- Opening of RFQs is on **March 6, 2023** @ 10:00 AM in our office.
- This procurement is **PER ITEM**, however, if stated in LOT, quotation shall be evaluated by lot. Any price offer that exceeds the ABC shall be disqualified.
- Price Quotation should be inclusive of the 5% Final VAT and Expanded Withholding Tax (EWT) of 1%.
- Price Quotation shall be valid within thirty (30) calendar days from the deadline of the RFQ.
- Delivery Period is within 30 calendar days** and shall commence as stated in the Purchase Order. Free on site delivery.
- If awarded the contract, processing and payment shall be made after the complete delivery of services/Supplies and final acceptance.
- Refusal to accept an award maybe ground for imposition of administrative sanctions under Rule XXII of the revised IRR of RA 9184. Please observe the Revised IRR of RA 9184.
- FOB-NORTHWEST SAMAR STATE UNIVERSITY - **San Jorge Campus** located at **San Jorge, Samar**.
- The procuring entity may terminate the contract, in whole or in part, at anytime for unsatisfactory service.
- Request for quotation should be returned within **6 days** from receipt hereof.

Item No.	Qty.	Unit	Articles/Description	Supplier's Offer (Complete Specifications and Brand Name)	Unit Price
1	1	pc.	Ball Mill (Grinder) (Please see attached picture) <i>Specifications:</i> Laboratory Sample Mill with seperated grind container for dry materials Fineness achievable Approx.: 100um Speed range: up to 30,000 rpm Cup inner size: φ 108 x 51H (mm) Lid & Container: SUS304 Blade: SUS420 The metal parts around the blade: SUS304 Max. capacity: 150ml Body size: φ 170 x 330H (mm, 5.1 kg) Motor: 1200W The hardness of the blades is HRC55 Degrees and its materials is SUS420		
2	1	pc.	Centrifuge Machine (Please see attached picture) <i>Specifications:</i> Max speed: 4000rpm Max RCF: 3580xg Max Capacity: 800ml Speed Precision: plus minus 20rpm Time range: 1s-99h59min Power supply: AC220V 50/60Hz Noise: less than or equal to 65dB (A)		
3	1	pc.	Heavy Duty Waring Blender (Please see attached picture) <i>Specifications:</i> Capacity: 64oz Hertz: 60 Controls - Digital Voltage: 120		

-page 1 of 3-

Date _____

RAMIL S. CATAMORA, Ed.D.
 BAC Chairperson

I have read and understood the Terms and Conditions stated above.
 By signing this quote, I hereby agree and bind myself to the Terms and Conditions.

Signature Over Printed Name: _____
 Position in Firm: _____
 Business Address: _____
 Contact No.: _____

Canvassed by: _____

(Signature Over Printed Name)



PROCUREMENT OFFICE

Email: procurement@nwssu.edu.ph
 Contact Number: **09173178126**

REQUEST FOR PRICE QUOTATION

RFQ No. **2023-02-052**
 February 28, 2023

SIR/MADAM:

Please quote your lowest price for the following items enumerated below, taking into consideration the following:

TERMS AND CONDITIONS

- The Approved Budget for the Contract (ABC) is **P 749,000.00** under PR No. **2023-02-052**
- Submit your quotation in a sealed envelop on or before **March 6, 2023** @ 9:00 AM.
- Opening of RFQs is on **March 6, 2023** @ 10:00 AM in our office.
- This procurement is **PER ITEM**, however, if stated in LOT, quotation shall be evaluated by lot. Any price offer that exceeds the ABC shall be disqualified.
- Price Quotation should be inclusive of the 5% Final VAT and Expanded Withholding Tax (EWT) of 1%.
- Price Quotation shall be valid within thirty (30) calendar days from the deadline of the RFQ.
- Delivery Period is within 30 calendar days** and shall commence as stated in the Purchase Order. Free on site delivery.
- If awarded the contract, processing and payment shall be made after the complete delivery of services/Supplies and final acceptance.
- Refusal to accept an award maybe ground for imposition of administrative sanctions under Rule XXII of the revised IRR of RA 9184. Please observe the Revised IRR of RA 9184.
- FOB-NORTHWEST SAMAR STATE UNIVERSITY - **San Jorge Campus** located at **San Jorge, Samar**.
- The procuring entity may terminate the contract, in whole or in part, at anytime for unsatisfactory service.
- Request for quotation should be returned within **6 days** from receipt hereof.

Item No.	Qty.	Unit	Articles/Description	Supplier's Offer (Complete Specifications and Brand Name)	Unit Price
4	1	pc.	Horizontal Laminar Flow Hood/Cabinet (Please see attached Picture) <i>Specifications:</i> External size (W*D*H*): 1300*820*2040mm, Internal size (W*D*H): 1200*500*570MM Work Surface Height: 750mm Display: LCD Display Airflow Velocity: Average of 0.3-0.5m/s Main Body Material: Cold-rolled steel with anti-bacterial powder coating Work Table Material: 304 stainless steel Side and front window: 5mm toughened glass, anti-UV Pre-filter: Polyester fiber, washable HEPA Filter: 99.995% efficiency Noise: Less than 65dB LED Lamp: 12W*1 UV Lamp: 30w*1 Consumption: 400W		
5	1	pc.	Dissecting Microscope with monitor (Please see attached picture) <i>Specifications:</i> Power Supply type: AC 110V-240V Transmit Light: 1W S-LED Critical Illumination Light Source Type: LED Objectives: (4x/0.10, W.D.20.6mm; 10x/0.25, W.D. 17.9mm; 40x/0.60, W.D.1.50mm; 100x/1.25 (oil), W.D. 0.16mm) Head type: Seidentop Trinocular Standard Magnification: 40x1000x Eyepiece: EW 10x/22mm, 2pcs		

-page 2 of 3-

Date

RAMIL S. CATAMORA, Ed.D.
 BAC Chairperson

I have read and understood the Terms and Conditions stated above.
 By signing this quote, I hereby agree and bind myself to the Terms and Conditions.

Signature Over Printed Name: _____
 Position in Firm: _____
 Business Address: _____
 Contact No.: _____

Canvased by: _____
 (Signature Over Printed Name)



PROCUREMENT OFFICE

Email: procurement@nwssu.edu.ph
 Contact Number: **09173178126**

REQUEST FOR PRICE QUOTATION

RFQ No. 2023-02-052
 February 28, 2023

SIR/MADAM:

Please quote your lowest price for the following items enumerated below, taking into consideration the following:

TERMS AND CONDITIONS

- The Approved Budget for the Contract (ABC) is **P 749,000.00** under PR No. **2023-02-052**
- Submit your quotation in a sealed envelop on or before **March 6, 2023** @ 9:00 AM.
- Opening of RFQs is on **March 6, 2023** @ 10:00 AM in our office.
- This procurement is **PER ITEM**, however, if stated in LOT, quotation shall be evaluated by lot. Any price offer that exceeds the ABC shall be disqualified.
- Price Quotation should be inclusive of the 5% Final VAT and Expanded Withholding Tax (EWT) of 1%.
- Price Quotation shall be valid within thirty (30) calendar days from the deadline of the RFQ.
- Delivery Period is within 30 calendar days** and shall commence as stated in the Purchase Order. Free on site delivery.
- If awarded the contract, processing and payment shall be made after the complete delivery of services/Supplies and final acceptance.
- Refusal to accept an award maybe ground for imposition of administrative sanctions under Rule XXII of the revised IRR of RA 9184. Please observe the Revised IRR of RA 9184.
- FOB-NORTHWEST SAMAR STATE UNIVERSITY **San Jorge Campus** located at **San Jorge, Samar**.
- The procuring entity may terminate the contract, in whole or in part, at anytime for unsatisfactory service.
- Request for quotation should be returned within **6 days** from receipt hereof.

Item No.	Qty.	Unit	Articles/Description	Supplier's Offer (Complete Specifications and Brand Name)	Unit Price
			Eyepiece Diameter: 30.0mm Eyepiece feature: Diopter adjustable Focusing scale: 0.002mm Focusing range: 28mm Focusing type: Coaxial coarse & Fine Focusing feature: Tension adjustable; Safety Stop Lock Ring Working stage moving: Moving range 78x54mm, Working stage size: 230x150mm Working stage type: 2 Layers mechanical		
6	1	pc.	Electric Cement Mixer, Single Bagger (Please see attached picture) Specifications: Model No.: Tilting Weight: 950kg Capacity (unmixed): 300 liters Capacity (mixed): 200 liters Drum speed (Rev./mm): 20-22 Power electric motor: 5H.P. Production Rate: 6.8m/hr		
			Please submit the following documentary requirements:		
			1. Business/Mayor's Permit		
			2. PhilGEPS Registration No./Certificate		
			3. Omnibus Sworn Statement		
			4. Business Income Tax Return		
			-page 3 of 3-		

Date _____

RAMIL S. CATAMORA, Ed.D.
 BAC Chairperson

I have read and understood the Terms and Conditions stated above.
 By signing this quote, I hereby agree and bind myself to the Terms and Conditions.

Signature Over Printed Name: _____
 Position in Firm: _____
 Business Address: _____
 Contact No.: _____

Canvassed by: _____

(Signature Over Printed Name)

Centrifuge Specs

Max speed - 4000rpm
Max RCF - 3580xg
Max capacity - 800ml
Speed Precision - \pm 20rpm
Time range - 1s-99h59min
Power supply - AC220V 50/60Hz
Noise - less than or equal to 65dB(A)



Waring Blender

Capacity - 64oz
Hertz - 60
Controls - Digital
Voltage - 120



Horizontal Laminar Flow hood/ Cabinet

External size (W*D*H) - 1300*820*2040mm
Internal Size (W*D*H) - 1200*500*570mm
Work Surface Height - 750mm
Display - LCD Display
Airflow Velocity - Average of 0.3-0.5m/s
Main Body Material - Cold-rolled steel with anti-bacterial powder coating
work Table material - 304 stainless steel
Side and front window - 5mm toughened glass, anti-UV
Pre-filter - Polyester fiber, washable
HEPA filter - 99.995% efficiency
Noise - less than 65dB
LED Lamp - 12W*1
UV Lamp - 30W*1
Consumption - 400W

Horizontal Laminar Flow Cabinet



Laboratory Biological Microscope, Trinocular

Power supply type - AC 110V-240V
Transmit Light - 1W S-LED Critical Illumination
Light Source Type - LED
Objectives - (4x/0.10, W.D. 20.6mm; 10x/0.25, W.D. 17.9mm; 40x/0.60, W.D. 1.50mm; 100x/1.25 (oil), W.D. 0.16mm)
Head type - Seidentopf Trinocular
Standard Magnification - 40x-1000x
Eyepiece - EW 10x/22mm, 2pcs
Eyepiece Diameter - 30.0mm
Eyepiece feature - Diopter adjustable
Focusing scale - 0.002mm
Focusing range - 28mm
Focusing type - Coaxial coarse & Fine
Focusing feature - Tension adjustable; Safety Stop Lock Ring
Working stage moving - Moving range 78x54 mm
Working stage size - 230x150mm
Workingstage type - 2 layers mechanical



BALL MILL GRINDER

Laboratory Sample Mill with seperated grind container

For dry materials

Fineness achievable Approx. 100um

Speed range: up to 30,000 rpm

Cup Inner Size Ø108 x 51H(mm)

Lid & container : SUS304

Blade : SUS420

The metal parts around the blade : SUS304

Max. Capacity 150ml

Body Size Ø170 x 330H(mm), 5.1kg

Motor 1200W

The hardness of the blades

is HRC55 degrees and its material is SUS420



CEMENT MIXER

Concrete Mixer With Mechanical Hopper

- Model No.: Tilting.
- Weight: 950 Kg.
- Capacity (unmixed): 300 Liters.
- Capacity (mixed): 200 Liters.
- Drum Speed (Rev./mm): 20-22.
- Power Electric Motor: 5 H.P.
- Power Diesel Engine: 6.5 H.P.
- Production Rate: 6.8 m / hr.

